



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

doctors there, I have ascertained the following facts: That the infection was carried to Panama from Guayaquil, and thence from Panama to Colon. Foreigners and persons not thoroughly acclimated were those who contracted the disease. There have been treated in the St. Thomas Hospital, Panama, to date, 36 cases, 14 deaths. At the French Hospital (foreign department), Panama, 58 cases, 26 deaths. Three of the above cases have occurred since August 1, 1 fatal. There have been a number of cases outside of hospitals.

I have treated in the Panama Railroad Company's hospital, Colon, 14 cases; no deaths. Outside of hospital, 6 cases, 1 death.

I have obtained from the physician of the French hospital at Colon, the following report: Ten cases, 7 deaths. This report is incomplete, as I know of at least, 6 cases, that have died there of yellow fever, whose names do not appear in this report. I have good reasons to believe there have been three times as many cases, with the same ratio of deaths as stated in this report. I am sorry to inform you that the Colombian Government has tried to suppress the fact that yellow fever exists, or has existed on the Isthmus, and, as the attending physician at this hospital is an employee of the Government, this explains why he fails to give a correct report. There have been some cases treated in Colon, outside of the hospitals, by other physicians.

Very respectfully, yours,

J. P. RANDALL,
Sanitary Inspector, U. S. M. H. S.

P. S. There has been 1 fatal case in Colon within the past ten days.

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.

Sanitary report from Panama.

PANAMA, August 13, 1897.

SIR: Since last mail the number of cases of yellow fever have diminished considerably. Four cases with 2 deaths is the number I have been able to discover.

Very truly, yours,

CHAS. A. COOKE, M. D.,
Sanitary Inspector, U. S. M. H. S.

STATISTICAL REPORTS.

FRANCE—*Nantes*.—Month of July, 1897. Estimated population, 125,757. Total deaths, 185, including 5 from enteric fever.

Nice.—Month of June, 1897. Estimated population, 108,227. Total deaths, 159, including phthisis pulmonalis, 22; enteric fever, 2, and diphtheria, 1.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended August 7 correspond to an annual rate of 26.9 a thousand of the aggregate population, which is estimated at 10,992,524. The highest rate was recorded in Preston, viz, 46.2, and the lowest in Halifax, viz, 12.0 a thousand.

London.—Two thousand two hundred and four deaths were registered during the week, including smallpox, 1; measles, 31; scarlet fever, 12; diphtheria, 42; whooping cough, 23; enteric fever, 7, and diarrhea and dysentery, 575. The deaths from all causes correspond to an annual rate